Refine Search

Your wildcard search against 10000 terms has yielded the results below.

Your result set for the last L# is incomplete.

The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.

Search Results -

Terms	Documents
((mark\$ or annotat\$) near3 (incorporat\$ or insert\$ or embed\$)) same ((newer or modif\$ or correct\$) near2 (document\$1 or version\$1))	19

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

Database:

L29
Refine Search

Recall Text

Clear

Interrupt


Search History

DATE: Monday, January 09, 2006 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> <u>Count</u>	Set Name result set
DB=B	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		•
<u>L29</u>	((mark\$ or annotat\$) near3 (incorporat\$ or insert\$ or embed\$)) same ((newer or modif\$ or correct\$) near2 (document\$1 or version\$1))	19	<u>L29</u>
<u>L28</u>	L26 and ((mark\$ or annotat\$) near3 (incorporat\$ or insert\$ or embed\$)) with ((newer or modif\$ or correct\$) near2 (document\$1 or version\$1))	0	<u>L28</u>
<u>L27</u>	L26 and L16	0	<u>L27</u>
<u>L26</u>	(marking with writing\$) and ((modif\$ or correct\$ or newer) near3 (document\$1 or version\$1))	72	<u>L26</u>
<u>L25</u>	(marking\$1 same (collaborat\$ near writing))	2	<u>L25</u>
<u>L24</u>	L22 and computer	5	<u>L24</u>
DB=I	PGPB; PLUR=YES; OP=OR		
<u>L23</u>	US-20030023642-A1.did.	1	<u>L23</u>
DB=B	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L22</u>	editorial adj marking	5	<u>L22</u>
http://we	stbrs:9000/bin/cgi-bin/PreSearch.pl		1/9/06

WEST I	Refine Search	Pag	ge 2 of 2
<u>L21</u>	marking adj writing\$ adj online	1	<u>L21</u>
DB = 1	PGPB, USPT; PLUR=YES; OP=OR		
<u>L20</u>	(5721938 or 5738523 or 5987302 or 5991595 or 6012075 or 6125377 or 6181909).pn.	7	<u>L20</u>
<u>L19</u>	L18 and (feedback with (writing\$ or essay\$))	4	<u>L19</u>
<u>L18</u>	L16 and L4	153	<u>L18</u>
<u>L17</u>	L16 and L2	172	<u>L17</u>
<u>L16</u>	((mark\$ or edit\$ or modif\$ or correct\$) near2 (writing\$ or essay\$)) near5 (add\$ or insert\$ or embed\$)	266	<u>L16</u>
<u>L15</u>	((mark\$ or edit\$ or modif\$ or correct\$) near2 (writing\$ or essay\$)) with (add\$ or insert\$ or embed\$)	601	<u>L15</u>
DB =	USPT; PLUR=YES; OP=OR		
<u>L14</u>	(6358053 or 5882202 or 6409510 or 6482011 or 6302695 or 5810599 or 6341958 or 5466111 or 5697789).pn.	9	<u>L14</u>
DB = 1	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L13</u>	((edit\$ or correct\$) near feedback) with (writing\$ or essay\$)	9	<u>L13</u>
<u>L12</u>	L10 and ((insert\$ or embed\$) near3 (edit\$ or correct\$)) same writing\$1	15	<u>L12</u>
<u>L11</u>	L10 and (proofreading or (electronic adj writing)) same (online or on-line)	0	<u>L11</u>
<u>L10</u>	L9 or L8 or L7 or L6	146767	<u>L10</u>
<u>L9</u>	709/(217,219).ccls.	78956	<u>L9</u>
<u>L8</u>	(715/501.1).ccls.	1206	<u>L8</u>
<u>L7</u>	(707/4).ccls.	1945	<u>L7</u>
<u>L6</u>	715/(530,500,526).ccls.	81741	<u>L6</u>
DB = 0	PGPB,USPT; PLUR=YES; OP=OR		
<u>L5</u>	L4 and L2	238	<u>L5</u>
<u>L4</u>	((add\$ or insert\$ or embed\$) near3 (mark\$ or edit\$ or modif\$ or correct\$)) with writing	849	<u>L4</u>
<u>L3</u>	L2 and (writing\$ with feedback with ((edit\$ or modif\$ or correct\$) near3 (document\$ or writing\$)))	4	<u>L3</u>
<u>L2</u>	((edit\$ or modif\$ or correct\$) near3 (document\$ or writing\$)) with (add\$ or insert\$ or embed\$)	2749	<u>L2</u>
DB =	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L1</u>	((modif\$ or correct\$) near2 (version\$ or document\$1)) with (add\$ or insert\$ or embed\$) with writing	3	<u>L1</u>

END OF SEARCH HISTORY



Keywords: Java, copying collection, generational collection, write barriers

5	The role of external representation in	the writing process: implications for the design of hypertext-		
The role of external representation in the writing process: implications for the design of hypertext-based writing tools				
(2)	C. M. Neuwirth, D. S. Kaufer			
•	November 1989 Proceedings of the second annual ACM conference on Hypertext			
	Publisher: ACM Press			
	Full text available: pdf(1.99 MB) Add	fitional Information: full citation, abstract, references, citings, index terms		
		and the second of the second o		
		eported here is to study the role of hypertext-based external mance on a cognitively complex task, in particular, on a synthesis		
		ten synthesis is a challenging task that requires managing large		
	•	nded period of time. Thus, synthesis writing is a task that is well-		
		ertext technologies to support work on complex t		
6	Input interaction: Shorthand writing or	n stylus keyboard		
	Shumin Zhai, Per-Ola Kristensson			
4	_	I conference on Human factors in computing systems		
	Publisher: ACM Press			
	Full text available: pdf(275.25 KB) Add	ditional Information: full citation, abstract, references, citings, index terms		
	We propose a method for computer-b	pased speed writing, SHARK (shorthand aided rapid keyboarding),		
		with shorthand gesturing. SHARK defines a shorthand symbol for		
	each word according to its movement	pattern on an optimized stylus keyboard. The key principles for the		
		stemmed from layout optimization, duality of gesturing and stylus		
	tapping, scale and location independe	ent writing, Zipf's law, and skill transfer from tapping to sho		
	Keywords: handheld devices, mobile	e, pervasive computing, text input, text-entry		
	ney words. Hallancia devices, mostic	, pervasive companing, coxempac, coxe oner,		
7	A marking based interface for collabo	rative writing		
	Gary Hardock, Gordon Kurtenbach, Willia			
	December 1993 Proceedings of the 6th ar	nnual ACM symposium on User interface software and		
	technology			
	Publisher: ACM Press Full text available: pdf(755.36 KB) Add	ditional Information: full citation, references, citings, index terms		
	<u> </u>	A CONTRACTOR OF THE PROPERTY O		
۰		Late to the Continue Section Language Continue C		
		d strategies: Garbage-first garbage collection		
	David Detlefs, Christine Flood, Steve Hell	er, rony Printezis ernational symposium on Memory management		
•	Publisher: ACM Press	critational symposium on ricinory management		
	<u></u> :	ditional Information: full citation, abstract, references, index terms		
		le garbage collector, targeted for multi-processors with large		
		e goal with high probability, while achieving high throughput. al marking, are performed concurrently with mutation, to prevent		
		live-data size. Concurrent marking both provides collection		
		ripe for reclamation via compacting evacuation. This ev		
		ection, garbage collection, garbage-first garbage collection, parallel		
	garbage collection, soft real-time gar	bage collection		
9	Low-contention depth-first scheduling	of parallel computations with write-once synchronization		
	variables			
	Panagiota Fatourou			
		nth annual ACM symposium on Parallel algorithms and		
	architectures Publisher: ACM Press			
		ditional Information: full citation, abstract, references, citings, index terms		
		online, scheduling algorithm for a large class of programs with		
		The algorithm combines the work-stealing paradigm with the		
		ulting in high space efficiency and good time complexity. By ity of the work scheduled on each processor, our algorithm achieves		
		scheduling overhead, improving upon a		

Altruistic locking



Kenneth Salem, Héctor García-Molina, Jeannie Shands

March 1994 ACM Transactions on Database Systems (TODS), Volume 19 Issue 1

Publisher: ACM Press

Full text available: pdf(2.73 MB)

Additional Information: full citation, abstract, references, citings, index terms, review

Long-lived transactions (LLTs) hold on to database resources for relatively long periods of time, significantly delaying the completion of shorter and more common transactions. To alleviate this problem we propose an extension to two-phase locking, called altruistic locking, whereby LLTs can release their locks early. Transactions that access this released data are said to run in the wake of the LLT and must follow special locking rules. Like two-phase locking, altruistic locking is easy to ...

Keywords: atomicity, locking, scheduling, serializability

The marking system for CourseMaster



Colin Higgins, Pavlos Symeonidis, Athanasios Tsintsifas

ACM SIGCSE Bulletin, Proceedings of the 7th annual conference on Innovation and technology in computer science education ITiCSE '02, Volume 34 Issue 3

Publisher: ACM Press

Full text available: pdf(181,12 KB)

Additional Information: full citation, abstract, references, citings, index terms

CourseMaster (CM) is a Computer Based Assessment (CBA) system. This paper describes the motivation and aims for developing CM's Marking System. It also explains the architectural forces and design decisions that have been established in order to engineer the Marking System. The Marking System adheres to the rigid specifications of the initial CM's design, which are: reliability, coherency, security, feedbackrichness, extensibility and customisability. The above notions and the features that CM's ...

Keywords: automatic assessment, courseware, distance learning, teaching

The PadMouse: facilitating selection and spatial positioning for the non-dominant hand



Ravin Balakrishnan, Pranay Patel

January 1998 Proceedings of the SIGCHI conference on Human factors in computing systems

Publisher: ACM Press/Addison-Wesley Publishing Co.

Full text available: pdf(1.07 MB)

Additional Information: full citation, references, citings, index terms

Keywords: bimanual input, gestures, hot-keys, input devices, interaction techniques, marking-menus, mouse, toolgass, touchpad

Reducing pause time of conservative collectors



Toshio Endo, Kenjiro Taura

June 2002 ACM SIGPLAN Notices, Proceedings of the 3rd international symposium on Memory management ISMM '02, Volume 38 Issue 2 supplement

Publisher: ACM Press



Additional Information: full citation, abstract, references, citings, index terms

This paper describes an incremental conservative garbage collector that significantly reduces pause time of an existing collector by Boehm et al. Like their collector, it is a true conservative collector that does not require compiler cooperation but uses virtual memory primitives (page protection) of operating systems for write barriers. While much successful work has been done on incremental collectors in general, achieving small pause time of the order of a few milliseconds in such uncooperat ...

Keywords: concurrent garbage collection, conservative garbage collection, memory management, parallel garbage collection

Practical network support for IP traceback



Stefan Savage, David Wetherall, Anna Karlin, Tom Anderson

ACM SIGCOMM Computer Communication Review , Proceedings of the conference on Applications, Technologies, Architectures, and Protocols for Computer Communication SIGCOMM '00, Volume 30 Issue 4

Publisher: ACM Press

Full text available: pdf(167,15 KB)

Additional Information: full citation, abstract, references, citings, index terms

This paper describes a technique for tracing anonymous packet flooding attacks in the Internet back towards their source. This work is motivated by the increased frequency and sophistication of denial-ofservice attacks and by the difficulty in tracing packets with incorrect, or ``spoofed", source addresses. In this paper we describe a general purpose traceback mechanism based on probabilistic packet marking in

the network. Our approach allows a victim to identify the network path(s) trave ... Developing marking support within Eclipse Del Myers, Elizabeth Hargreaves, Jody Ryall, Suzanne Thompson, Marilyn Burgess, Daniel German, Margaret Anne Storey October 2004 Proceedings of the 2004 OOPSLA workshop on eclipse technology eXchange Publisher: ACM Press Full text available: pdf(345.76 KB) Additional Information: full citation, abstract, references In this paper, we describe marking features provided in Gild, a set of plug-ins to support education in Eclipse developed at the University of Victoria. We discuss our requirements gathering techniques, design process and the challenges experienced during development of this tool. We also consider the problematic nature of student evaluation, particularly within the context of introductory Computer Science courses. Keywords: integrated development environments, marking support, novice programmers, student evaluation The privatizing DOALL test: a run-time technique for DOALL loop identification and array privatization Lawrence Rauchwerger, David Padua July 1994 Proceedings of the 8th international conference on Supercomputing **Publisher: ACM Press** Full text available: pdf(1.27 MB) Additional Information: full citation, abstract, references, citings, index terms Current parallelizing compilers cannot identify a significant fraction of fully parallel loops because they have complex or statically insufficiently defined access patterns. For this reason, we have developed the Privatizing DOALL test—a technique for identifying fully parallel loops at run-time, and dynamically privatizing scalars and arrays. The test itself is fully parallel, and can be applied to any loop, regardless of the structure of its data and/or control flow. The technique ... Applications 1: media fusion for communication and presentation: Exploring media correlation and synchronization for navigated hypermedia documents Kuo-Yu Liu, Herng-Yow Chen November 2005 Proceedings of the 13th annual ACM international conference on Multimedia **MULTIMEDIA '05** Publisher: ACM Press Full text available: pdf(691.96 KB) Additional Information: full citation, abstract, references, index terms This paper is devoted to explore media correlation and media synchronization in a composite multimedia document, the so-called navigated hypermedia document in our language learning system, to facilitate the multimedia authoring, presentation, and access. Two levels of media correlation in temporal, spatial, and content domains are investigated: syntactic level correlation and semantic level correlation. We devise a capturing mechanism to record all the media streams and relations ... Keywords: computed synchronization process, media correlation, media synchronization, semantic level correlation, syntactic level correlation MC2: high-performance garbage collection for memory-constrained environments Narendran Sachindran, J. Eliot B. Moss, Emery D. Berger October 2004 ACM SIGPLAN Notices , Proceedings of the 19th annual ACM SIGPLAN conference on Object-oriented programming, systems, languages, and applications OOPSLA '04, Volume 39 Issue 10 Publisher: ACM Press Full text available: pdf(503,53 KB) Additional Information: full citation, abstract, references, citings, index terms Java is becoming an important platform for memory-constrained consumer devices such as PDAs and cellular phones, because it provides safety and portability. Since Java uses garbage collection, efficient garbage collectors that run in constrained memory are essential. Typical collection techniques used on these devices are mark-sweep and mark-compact. Mark-sweep collectors can provide good throughput and pause times but suffer from fragmentation. Mark-compact collectors prevent fragmentation, ... Keywords: copying collector, generational collector, java, mark-compact, mark-copy, mark-sweep, memory-constrained copying

Input Devices: Comparison of two touchpad-based methods for numeric entry Poika Isokoski, Mika Käki

April 2002

Proceedings of the SIGCHI conference on Human factors in computing systems:

Changing our world, changing ourselves

Publisher: ACM Press

Full text available: pdf(1.11 MB)

Additional Information: full citation, abstract, references, citings, index terms

Small hand-held touchpads can be used to replace stylus-based digitizing tablets when the use of a stylus is not convenient. In text entry tasks where the writing surface is held in a hand the error rate becomes a problem. The small size of strokes compared to the width of the fingertip and the additional imprecision caused by the interaction of the pad and finger movements make input very imprecise. We describe a new improved clock-face based stroke system for entering numbers with a touchpad. ...

Keywords: clock metaphor, mobile devices, stylus overhead, writing

A cache coherence scheme with fast selective invalidation

H. Cheong, A. V. Vaidenbaum

ACM SIGARCH Computer Architecture News, Proceedings of the 15th Annual International Symposium on Computer architecture ISCA '88, Volume 16 Issue 2

Publisher: IEEE Computer Society Press, ACM Press

Full text available: pdf(1,00 MB)

Additional Information: full citation, abstract, references, citings, index terms

Software-assisted cache coherence enforcement schemes for large multiprocessor systems with shared global memory and interconnection network have gained increasing attention. Proposed softwareassisted approaches rely on either indiscriminate invalidation or selective invalidation to invalidate stale cache lines. The indiscriminate approach combined with advanced memory hardware can quickly invalidate the entire cache but may result in lower hit ratios. The selective approach may achieve a ...

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 next

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us







February 1999

3

Proceedings of the tenth ACM Conference on Hypertext and hypermedia: returning to our diverse roots: returning to our diverse roots

	Publisher: ACM Press Full text available: pdf(2.00 MB)	Additional Information: full citation, references, citings, index terms	
	Varnuanda: Uvacetovi rhotoria for	minism, postetrueturalism, sekalarahin, social sejanca rossarsh	
	Keywords : Hypertext rnetoric, fer	ninism, poststructuralism, scholarship, social science research	
26	Gordon B. Davis, John T. Gorgone, J. December 1996 ACM SIGMIS Database	lines for undergraduate degree programs in information systems Daniel Couger, David L. Feinstein, Herbert E. Longenecker , Guidelines for undergraduate degree programs on Model	
	IS '97, Volume 28 Issue 1 Publisher: ACM Press	nes for undergraduate degree programs in information systems	
	<u></u>	Additional Information: full citation, citings	
27	Brad Mehlenbacher	priate methods for evaluating online systems and documentation h annual international conference on Systems documentation	
•	Publisher: ACM Press	Additional Information: full citation, references, citings, index terms	
	Keywords: quality, usability testing	ng, user behavior, user-oriented design	
28	Collaborative research	atterns in distributed executions 7 conference of the Centre for Advanced Studies on	
	Publisher: IBM Press Full text available: pdf(4.21 MB)	Additional Information: full citation, abstract, references, index terms	
	diagrams are often used to obtain visualization tool we use is Poet, a diagrams are often very complex a	ions is a tedious and difficult task. Visualizations based on process-time a better understanding of the execution of the application. The n event tracer developed at the University of Waterloo. However, these and do not provide the user with the desired overview of the h tools display repeated occurrences of non-trivial commun	
29	"Intentional Learning in an Intention	ant" in issues learning: commentary on Margaret Martinez's nal World"	
•		er Documentation (JCD), Volume 24 Issue 1	
	Publisher: ACM Press Full text available: pdf(101, 16 KB)	Additional Information: full citation, references, index terms	
30	<u>Editorial</u>		
	Peter J. Denning February 1989 Communications of the	ACM, Volume 32 Issue 2	
	Publisher: ACM Press Full text available: pdf(213.02 KB)	Additional Information: full citation, index terms	
31	Editorial		
\$	Dan Rosenbaum November 1997 netWorker , Volume 1 Issu	ue 3	
	Publisher: ACM Press Full text available: pdf(372.57 KB)	Additional Information: full citation, index terms	
32			\Box
	Editorial: a Two-May Cyberstreet		

	ovember 1998 netWorker , Volume 2 Issue 5	
P	ublisher: ACM Press ull text available: pdf(162.17 KB) Additional Information: full citation, index terms	
•		
33 D	Designing theory-based systems: a case study	Γ
)	ohn B. Smith, Marcy Lansman	-
•	une 1992 Proceedings of the SIGCHI conference on Human factors in computing systems ublisher: ACM Press	
	ull text available: pdf(1.19 MB) Additional Information: full citation, abstract, references, index terms	
	In this paper, we discuss principles for designing and testing computer systems intended to support users' thinking as they perform open-ended or ill-defined tasks. We argue that such systems inherently and inevitably implement a model of users' cognitive behaviors. Making that model explicit can provide system developers with guidance in taking design decisions. However, both model and system must be tested and refined. We discuss these principles in relation to a case study in which our g	
	Keywords: cognitive models, cognitive modes and strategies, system design, task analysis, user testing	
K M	Storyspace as a hypertext system for writers and readers of varying ability lichael Joyce	
	eptember 1991 Proceedings of the third annual ACM conference on Hypertext	
	ublisher: ACM Press ull text available: pdf(456,61 KB) Additional Information: full citation, references, citings, index terms	
35 A	a multi-purpose language processing laboratory	Γ
	aren A. Lemone	L
P F	ebruary 1987 ACM SIGCSE Bulletin, Proceedings of the eighteenth SIGCSE technical symposium on Computer science education SIGCSE '87, Volume 19 Issue 1	
	ublisher: ACM Press 'ull text available: pdf(313.83 KB) Additional Information: full citation, abstract, references, index terms	
	This paper describes the design and implementation of a tool for creating language processors, in particular, translator generators. The purpose of this tool is to allow the fast implementation of (non-production quality) translators for any language, however exotic, for which a grammar can be written, and to generate compiler phases with "hooks" which show the compiling process in action for use in compiler construction courses. The emphasis is on a user-friendly metalanguage w	
36 <i>(</i>	Suidelines for multimedia usage	Г
A R	loberta Hartley	-
	lovember 1993 Proceedings of the 11th annual international conference on Systems documentation tublisher: ACM Press	
	Full text available: pdf(1,11 MB) Additional Information: full citation, references, index terms, review	
37 \	/ A CAR / W	Г
	<u>/ex—A CAD toolbox</u> ules P. Bergmann, Mark A. Horowitz	L
	une 1999 Proceedings of the 36th ACM/IEEE conference on Design automation	
	*ublisher: ACM Press Full text available: pdf(65.80 KB) Additional Information: full citation, references, citings, index terms	
	SASSE: the collaborative editor	
	Ronald M. Baecker, Geof Glass, Alex Mitchell, Ilona Posner Pril 1994 Conference companion on Human factors in computing systems	•
	Publisher: ACM Press Full text available: pdf(210.37 KB) Additional Information: full citation, references, citings	
39 <u>V</u>	Vriting across the computer science curriculum	ſ
F	Harriet J. Fell, Viera K. Proulx, John Casey	, '

on Computer science education SIGCSE '96, Volume 28 Issue 1

Publisher: ACM Press

Full text available: pdf(569,39 KB)

Additional Information: full citation, abstract, references, citings, index terms

At our university, as at many others across the country, there is a movement to integrate the common core subjects with the disciplinary studies. While in the past writing has been a domain of English departments, the new trend is 'writing across curriculum'. It is clear that effective written and oral communication skills are critical for the successful computer professional. We present suggestions for writing assignments that complement the main themes of computer courses from introductory to a ...

Leadership by design: collaborations and cornerstones

Trisha Mileham, Joyce Hicks September 2003 Proceedings of the 31st annual ACM SIGUCCS conference on User services

Publisher: ACM Press

Full text available: pdf(189.49 KB)

Additional Information: full citation, abstract, references, index terms

This paper chronicles the collaborative efforts of Valparaiso University's IT department and main library over the past five years. Highlights of selected resources and services that have come from our efforts involve web sites and resources, instruction services, shared spaces, user guides, personnel issues, and facility planning. Our intent is to reinforce the idea that campus leadership on issues such as these doesn't have to happen from the administrative level-it can come directly from the ...

Keywords: IT department, collaboration, instruction services, library, personnel, user guide, user services


Results 21 - 40 of 200

Result page: previous 1 2 3 4 5 6 7 8 9 10 next

The ACM Portal is published by the Association for Computing Machinery. Copyright @ 2006 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us









Ü

PRTAL USPTO

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

(Online Marking)

SEÄRCH

I,	:(<u> =</u>	4)OK	DIGITIAL	LIBRARY	
_					

Feedback Report a problem Satisfaction survey

Terms used Online Marking

Found 27,700 of 169,166

Sort results by relevance

Display results expanded form

Save results to a Binder

Search Tips

Open results in a new window

Try an <u>Advanced Search</u>
Try this search in <u>The ACM Guide</u>

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 next

Best 200 shown

Relevance scale

1 ITICSE 2003 working group reports: How shall we assess this?

Janet Carter, Kirsti Ala-Mutka, Ursula Fuller, Martin Dick, John English, William Fone, Judy Sheard

June 2003

ACM SIGCSE Bulletin, Working group reports from ITiCSE on Innovation and technology in computer science education ITiCSE-WGR '03, Volume 35 Issue 4

Publisher: ACM Press

Full text available: pdf(337.24 KB)

Additional Information: full citation, abstract, references, index terms

Increased class sizes are forcing academics to reconsider approaches to setting and marking assessments for their students. Distributed and distance learning are creating some of the biggest changes. Some educators are embracing new technologies but others are more wary of what they do not know. In order to address this issue it is first necessary to investigate the types of assessment currently in use and the perceptions that are held by academics with and without experience of the new technolo ...

Keywords: assessment, computer aided assessment, plagiarism

Distance education: A learning and assessment tool for web-based distributed education

١

Misook Heo

October 2003 Proceedings of the 4th conference on Information technology curriculum CITC4 '03

Publisher: ACM Press

Full text available: pdf(348.36 KB)

Additional Information: full citation, abstract, references, citings, index terms

Most distributed education environments provide lecture notes/slides and synchronous/asynchronous channels to facilitate student learning. These methods are not robust enough on their own, especially in the computing field where students learn programming theories and languages by viewing others' codes and by producing their own. Instructors need a tool to help easily generate meaningful descriptions of code examples and make comments directly related to students' code submissions. Similarly, st ...

Keywords: assessment, distributed education, educational technology

3 Caching with expiration times

Parikshit Gopalan, Howard Karloff, Aranyak Mehta, Milena Mihail, Nisheeth Vishnoi

January 2002 Proceedings of the thirteenth annual ACM-SIAM symposium on Discrete algorithms

Publisher: Society for Industrial and Applied Mathematics

Full text available: pdf(746.57 KB)

Additional Information: full citation, abstract, references, citings

Caching data together with expiration times beyond which the data is no longer valid is a standard method for promoting information consistency in distributed systems, including the Internet and WWW, large databases, and mobile telecommunications. We use the framework of competitive analysis of online algorithms and study page eviction strategies in the case where data has expiration times. We show that suitable adaptations of LRU and its generalizations, namely marking algorithms, are asymptoti ...

Providing mark-up and feedback to students with online marking

🔪 David V. Mason, Denise M. Woit

March 1999 ACM SIGCSE Bulletin, The proceedings of the thirtieth SIGCSE technical symposium on Computer science education SIGCSE '99, Volume 31 Issue 1

Publisher: ACM Press

Full text available: pdf(834.42 KB)

Additional Information: full citation, abstract, references, citings, index terms

Online marking of assignments can lead to improved marking consistency and integrate well with on-line mark reporting. It can also be easier for the marker. Unfortunately, most such systems do not include good feedback mechanisms for the students. This paper describes an environment that provides online

marking with convenient, structured and detailed feedback.

5 Using technology to teach technology

Brenda C. Parker, Thomas J. Cheatham, Justin Milling

March 2002 Journal of Computing Sciences in Colleges, Volume 17 Issue 4

Publisher: Consortium for Computing Sciences in Colleges

Full text available: pdf(56.37 KB)

Additional Information: full citation, abstract, references, index terms

Teaching computer literacy to non-computer science majors presents a challenge to computer science departments. The authors believe that the best way to teach technology concepts and to enhance the learning in computer literacy classes is to engage the students in using technology to learn it. With that in mind, this article reports a measure of success by exposing literacy students to on-line teaching and grading. Personal experiences and student opinion surveys provide evidence that using tech ...

Teaching internet literacy to a large and diverse audience

Wayne Brookes, Jadwiga Indulska

Proceedings of the 2nd Australasian conference on Computer science education ACSE

Publisher: ACM Press

Full text available: pdf(883,45 KB)

Additional Information: full citation, references, index terms

7 Evolving the browser towards a standard user interface architecture

Michael J. Rees

January 2002 Australian Computer Science Communications , Third Australasian conference on User interfaces - Volume 7 CRPITS '02, Volume 24 Issue 4

Publisher: Australian Computer Society, Inc. , IEEE Computer Society Press

Full text available: pdf(857.16 KB) Addit

Additional Information: full citation, abstract, references, index terms

If current trends continue, it is likely that the web browser will become the only widely used user interface. Web applications will become the predominant software. Should this happen, user interface design, implementation and evaluation skills can become more focussed and effective. Some of the benefits current browser user interfaces provide are discussed in the context of web application tools produced by the author and supported by examples. The software architecture of the Web brings speci ...

Keywords: XML, browser user interface, user interface markup language, user interface standards

8 Assessment: Experiments in the automatic marking of ER-diagrams

Pete Thomas, Kevin Waugh, Neil Smith

June 2005 Proceedings of the 10th annual SIGCSE conference on Innovation and technology in computer science education ITiCSE '05

Publisher: ACM Press

Full text available: pdf(244.99 KB)

Additional Information: full citation, abstract, references, index terms

In this paper we present an approach to the computer understanding of diagrams and show how it can be successfully applied to the automatic marking (grading) of student attempts at drawing entity-relationship (ER) diagrams. The automatic marker has been incorporated into a revision tool to enable students to practice diagramming and obtain feedback on their attempts.

Keywords: automatic grading, diagram understanding, entity-relationship diagrams, teaching tool

Page replacement with multi-size pages and applications to Web caching

Sandy Irani

May 1997 Proceedings of the twenty-ninth annual ACM symposium on Theory of computing

Publisher: ACM Press

Full text available: pdf(1,26 MB)

Additional Information: full citation, references, citings, index terms

Modeling TCP behavior in a differentiated services network

Ikjun Yeom, A. L. Narasimha Reddy

February 2001 IEEE/ACM Transactions on Networking (TON), Volume 9 Issue 1

Publisher: IEEE Press

Full text available: pdf(418.83 KB)

Additional Information: full citation, references, index terms, review

1/9/06



Keywords: AF PHB, TCP modeling, differentiated service

Fully automatic assessment of programming exercises

June 2001

Riku Saikkonen, Lauri Malmi, Ari Korhonen

ACM SIGCSE Bulletin, Proceedings of the 6th annual conference on Innovation and technology in computer science education ITiCSE '01, Volume 33 Issue 3

Publisher: ACM Press

Full text available: pdf(452.29 KB)

Additional Information: full citation, abstract, references, citings, index terms

Automatic assessment of programming exercises has become an important method for grading students' exercises and giving feedback for them in mass courses. We describe a system called Scheme-robo, which has been designed for assessing programming exercises written in the functional programming language Scheme. The system assesses individual procedures instead of complete programs. In addition to checking the correctness of students' solutions the system provides many different tools for analysing ...

Universal usability statements: Marking the trail for all users



Harry Hochheiser, Ben Shneiderman March 2001 interactions, Volume 8 Issue 2

Publisher: ACM Press

html(8,94 KB)

Full text available: pof(244.34 KB) Additional Information: full citation, citings, index terms

Tools and techniques for large scale grading using Web-based commercial off-the-shelf software



Robert N. Lass, Christopher D. Cera, Nathaniel T. Bomberger, Bruce Char, Jeffrey L. Popyack, Nira Herrmann, Paul Zoski

June 2003 ACM SIGCSE Bulletin, Proceedings of the 8th annual conference on Innovation and technology in computer science education ITiCSE '03, Volume 35 Issue 3

Publisher: ACM Press

Full text available: pdf(363.14 KB)

Additional Information: full citation, abstract, references, citings, index terms

Courseware/Course Management Systems (CMS) such as WebCT or Blackboard are an increasingly popular way to provide a web presence for a course. However, their current web-browser reliance makes it difficult for them to provide functionality that could be useful to computer science instructors. This paper describes our augmentation of a CMS in a large introductory computer science class. It further describes our enhancement of the CMS by clientside software (i.e. residing on the graders computer), ...

Keywords: Course Management Systems, Courseware, WebCT, electronic pen-based markup, introductory programming, plagiarism detection

Page replacement for general caching problems

Susanne Albers, Sanjeev Arora, Sanjeev Khanna

January 1999 Proceedings of the tenth annual ACM-SIAM symposium on Discrete algorithms

Publisher: Society for Industrial and Applied Mathematics

Full text available: pdf(1.23 MB)

Additional Information: full citation, references, citings, index terms

Generalized connection caching



Susanne Albers

Proceedings of the twelfth annual ACM symposium on Parallel algorithms and July 2000 architectures

Publisher: ACM Press

Full text available: ndf(123.05 KB)

Additional Information: full citation, abstract, references, citings, index terms

Cohen et al. [5] recently initiated the theoretical study of connection caching in the world-wide web. They extensively studied uniform connection caching, where the establishment cost is uniform for all connections [5, 6]. They showed that ordinary paging algorithms can be used to derive algorithms for uniform connection caching and analyzed various algorithms such as Belady's rule, LRU and Marking strategies. In particular, in [5] Cohen et al.

Space-Efficient Implementations of Graph Search Methods



September 1983 ACM Transactions on Mathematical Software (TOMS), Volume 9 Issue 3

Publisher: ACM Press

Full text available: pdf(645.33 KB)

Additional Information: full citation, references, index terms

Session 5B: On paging with locality of reference



Susanne Albers, Lene M. Favrholdt, Oliver Giel

May 2002 Proceedings of the thiry-fourth annual ACM symposium on Theory of computing



Full text available: pdf(257,22 KB)

Additional Information: full citation, abstract, references, index terms

Motivated by the fact that competitive analysis yields too pessimistic results when applied to the paging problem, there has been considerable research interest in refining competitive analysis and in developing alternative models for studying online paging. The goal is to devise models in which theoretical results capture phenomena observed in practice. In this paper we propose a new, simple model for studying paging with locality of reference. The model is closely related to Denning's working s ...

Robustness of real and virtual queue-based active queue management schemes

Ashvin Lakshmikantha, Carolyn L. Beck, R. Srikant

February 2005 IEEE/ACM Transactions on Networking (TON), Volume 13 Issue 1

Publisher: !EEE Press

Full text available: pdf(538.59 KB)

Additional Information: full citation, abstract, references, index terms

In this paper, we evaluate the performance of both real and virtual queue-based marking schemes designed for use at routers in the Internet. Using fluid flow models, we show via analysis and simulations that Virtual Queue (VQ)-based marking schemes outperform Real Queue (RQ)-based marking schemes in terms of robustness to disturbances and the ability to maintain low queueing delays. In fact, we prove that a linearized model of RQ-based marking schemes exhibit a lack of robustness to constant but ...

Keywords: active queue management, congestion control, fluid-flow analysis

Garbarge collection for Prolog based on WAM



K. Appleby, M. Carllson, S. Haridi, D. Sawhlin

June 1988 Communications of the ACM, Volume 31 Issue 6

Publisher: ACM Press

Full text available: pdf(1.91 MB)

Additional Information: full citation, abstract, references, citings, index terms

The Warren abstract machine (WAM) has become a generally accepted standard Prolog implementation technique. Garbage collection is an important aspect in the implementation of any Prolog system. A synopsis of the WAM is presented and then marking and compaction algorithms are shown that take advantage of WAM's unique use of the data areas. Marking and compaction are performed on both the heap and the trail; both use pointer reversal techniques, which obviate the need for extra stack space.

Optimization flow control—I: basic algorithm and convergence

Steven H. Low, David E. Lapsley

December 1999 IEEE/ACM Transactions on Networking (TON), Volume 7 Issue 6

Publisher: IEEE Press

Full text available: pdf(360.19 KB)

Additional Information: full citation, references, citings, index terms

Keywords: asynchronous algorithm, congestion pricing, convergence, gradient projection, optimization flow control

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 next

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player